



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/068,254	02/04/2002	Alan M. Vale	LS/0022.00	8491

8791 7590 02/25/2005

BLAKELY SOKOLOFF TAYLOR & ZAFMAN
12400 WILSHIRE BOULEVARD
SEVENTH FLOOR
LOS ANGELES, CA 90025-1030

EXAMINER

JERABEK, KELLY L

ART UNIT	PAPER NUMBER
----------	--------------

2612

DATE MAILED: 02/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/068,254	VALE ET AL.	
	Examiner	Art Unit	
	Kelly L. Jerabek	2612	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
 - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
 - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
 - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-28 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-28 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>3/26/2003</u> . | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Specification

The use of the trademark (MICROSOFT, LASERJET, PENTIUM, PALM) has been noted in this application. It should be capitalized wherever it appears and be accompanied by the generic terminology.

Although the use of trademarks is permissible in patent applications, the proprietary nature of the marks should be respected and every effort made to prevent their use in any manner which might adversely affect their validity as trademarks.

The disclosure is objected to because it contains an embedded hyperlink and/or other form of browser-executable code on pages 7, 14, and 32. Applicant is required to delete the embedded hyperlink and/or other form of browser-executable code. See MPEP § 608.01.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 2612

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-2, 6, 8-9, 15, 18, 21-22, and 25 rejected under 35 U.S.C. 103(a) as being unpatentable over Yamada et al. US 6,239,837 in view of Fukuoka US 2002/0054212.

Re claim 1, Yamada discloses in figures 1-3 a camera capable of accepting an auxiliary memory card (MC). The camera includes a liquid crystal display section (30) the displays a plurality of icon marks (46-66) according to the operation modes of the camera (col. 3, lines 60-67). When the memory card (MC) is attached to the camera, icon mark (64) is displayed thus verifying that the connection has been established and the microprocessor (MPU1) instructs microprocessor (MPU2) to perform processing operations (col. 6, line 53 – col. 7, line 10). When the microprocessor (MPU1) detects that the select switch (34) is pushed by a user the copying mode is started. When the camera is in the copying mode of copying image data from the main memory (MM) to the memory card (MC), icon mark (62) automatically provides a notification that a transfer of information is in process (col. 4, lines 32-35; col. 9, line 59 – col. 10, line 15). Each time an individual image is transferred and copied the values of icon marks (56, 60) are changed (col. 11, line 59 – col. 12, line 10). Therefore, icon marks (56,60) provide notification of successful completion of the transfer of information. Although Yamada discloses all of the above limitations, the icon marks provide notification of the

status of the transfer of information from a camera to a removable memory card and not from a camera to a "host device".

Fukuoka discloses in figure 3 a camera including an I/O card for providing a connection to a computer and a memory card for storing image data. The I/O card (15) of the camera (30) functions as a serial communication connector in order to transmit image data from the camera (30) to a "host device" (remote computer (33,34)) (page 2, paragraph 33). The cards (15,16) can be connected to either of the card connectors in the camera (page 2, paragraph 3). Therefore, it would have been obvious for one skilled in the art to have been motivated to include the I/O card capable of transferring image data from a camera to a host device as disclosed by Fukuoka in the camera capable of accepting a removable memory card as disclosed by Yamada. Doing so would provide a means for allowing a camera to perform communications through a wide variety of electronic communications medium (Fukuoka: page 1, paragraph 12).

Re claim 2, when the camera disclosed by Yamada is in the copying mode of copying image data from the main memory (MM) to the memory card (MC), icon mark (62) automatically provides a notification that a transfer of information is in process (col. 4, lines 32-35; col. 9, line 59 – col. 10, line 15). Icon mark (62) is displayed on LCD (30) therefore the icon mark (62) is an illumination of a light on the data capture device.

Re claim 6, see claim 2.

Re claim 8, Yamada states that each time an individual image is transferred and copied the values of icon marks (56, 60) are changed (col. 11, line 59 – col. 12, line 10).). Icon marks (56,60) are displayed on LCD (30) therefore the icon marks (56,60) are an illumination of a light on the data capture device.

Re claim 9, Yamada uses icon marks (56,60) to provide notification of successful completion of transfer of information but does not specifically state that the notification is provided by extinguishing a light on the data capture device. The Examiner takes **Official Notice** that it is well known in the art to illuminate an LED on a device that is transferring data during the transfer of the data and to turn off the LED when the transfer is completed. Therefore, it would have been obvious for one skilled in the art to have been motivated to provide an LED that is turned off when the transfer of data is completed in place of the icon marks (56,60) for providing visual notification of successful completion of transfer of information.

Re claim 15, see claim 1.

Art Unit: 2612

Re claim 18, when the memory card (MC) is attached to the camera, icon mark (64) is displayed on LCD (30) thus verifying that the connection has been established and the microprocessor (MPU1) instructs microprocessor (MPU2) to perform processing operations (col. 6, line 53 – col. 7, line 10).

Re claim 21, when the camera is in the copying mode of copying image data from the main memory (MM) to the memory card (MC), icon mark (62) automatically provides a notification on LCD (30) that a transfer of information is in process (col. 4, lines 32-35; col. 9, line 59 – col. 10, line 15).

Re claim 22, each time an individual image is transferred and copied the values of icon marks (56, 60) on LCD (30) are changed (col. 11, line 59 – col. 12, line 10). Therefore, icon marks (56,60) provide notification of successful completion of the transfer of information.

Re claim 25, see claim 22.

Claims 3-5, 7, 10-14, 16-17, 19-20, 23-24, and 26-28 rejected under 35 U.S.C. 103(a) as being unpatentable over Yamada in view of Fukuoka and further in view of Okada US 6,630,954.

Re claim 3, the combination of Yamada and Fukuoka disclose all of the limitations of claims 1 and 2 above. However, the notifications provided by Yamada are icon marks that are displayed on an LCD. The combination of Yamada and Fukuoka does not specifically state that the notifications are light emitting diodes or audio signals.

Okada discloses an image pickup apparatus including an image erasure status notification function. If the image data has already been transferred, a message is provided to the user indicating that the image to be erased has already been transferred to another storing area (col. 2, lines 54-62). The message is provided to the user using either a flickering LED, a display of an LCD, or a sound generation of a buzzer (col. 2, lines 41-53). Therefore, it would have been obvious for one skilled in the art to have been motivated to include the concept of using an LED or a buzzer for user notification as disclosed by Okada in the camera capable of accepting a memory card as disclosed by Yamada in view of Fukuoka. Doing so would provide a means for flickering an LED or sounding a buzzer in order to provide notifications to a user of a camera (Okada: col. 2, lines 54-62).

Re claim 4, Okada states that a flickering led is used to notify a user that an image has been transferred (col. 2, lines 41-46).

Re claim 5, the LED disclosed by Okada is green to confirm that an image has been transferred (col. 2, lines 41-46).

Re claim 7, Okada states that sound generation of a buzzer is used to notify a user that an image has been transferred (col. 2, lines 50-53).

Re claim 10, the combination of Yamada and Fukuoka disclose all of the limitations of claims 1 above. Yamada also states the when the capacity of the auxiliary memory is insufficient before the whole image is transferred icon mark (60) indicates the number of uncopied image data (col. 12, lines 11-49). However, the combination of Yamada and Fukuoka does not specifically disclose an automatic notification of failure if the transfer of information is not successfully completed.

Okada discloses an image pickup apparatus including an image erasure status notification function. If the image data has not been transferred, a message is provided to the user indicating that the image to be erased has not been transferred to another storing area (col. 2, line 63 - col. 3, line 24). The message is provided to the user using either a flickering LED, a display of an LCD, or a sound generation of a buzzer (col. 3, lines 1-10). Therefore, it would have been obvious for one skilled in the art to have

Art Unit: 2612

been motivated to include the concept of using an LED or a buzzer to notify a user that a transfer of information was not successfully completed as disclosed by Okada in the camera capable of accepting a memory card as disclosed by Yamada in view of Fukuoka. Doing so would provide a means for flickering an LED or sounding a buzzer in order to provide notifications to a user of a camera that an image has not yet been transferred (Okada: col. 3, lines 11-19).

Re claim 11, Okada states that a red LED is lit to notify the user that the image to be erased is not transferred (col. 3, lines 1-4).

Re claims 12-13, see claim 11.

Re claim 14, Okada states that a message on an LCD is used to notify the user that the image to be erased is not transferred (col. 3, lines 4-8).

Re claim 16, the combination of Yamada and Fukuoka disclose all of the limitations of claim 15 above. However, the notifications provided by Yamada are icon marks that are displayed on an LCD. The combination of Yamada and Fukuoka does not specifically state that the notifications are light emitting diodes or audio signals.

Okada discloses an image pickup apparatus including an image erasure status notification function. If the image data has already been transferred, a message is provided to the user indicating that the image to be erased has already been transferred to another storing area (col. 2, lines 54-62). The message is provided to the user using either a flickering LED, a display of an LCD, or a sound generation of a buzzer (col. 2, lines 41-53). Therefore, it would have been obvious for one skilled in the art to have been motivated to include the concept of using an LED or a buzzer for user notification as disclosed by Okada in the camera capable of accepting a memory card as disclosed by Yamada in view of Fukuoka. Doing so would provide a means for flickering an LED or sounding a buzzer in order to provide notifications to a user of a camera (Okada: col. 2, lines 54-62).

Re claim 17, the LED disclosed by Okada is green to confirm that an image has been transferred (col. 2, lines 41-46). Okada also states that in addition to the color and flickering period of the LED, the light-on time of the LCD is used to provide notifications to the user of a camera (col. 6, line 65 – col. 7, line 10).

Re claim 19, Okada states that a flickering led is used to notify a user that an image has been transferred (col. 2, lines 41-46).

Re claim 20, see claim 19.

Re claim 23, see claim 19.

Re claim 24, the combination of Yamada, Fukuoka, and Okada discloses all of the limitations of claim 23 above. Yamada uses icon marks (56,60) to provide notification of successful completion of transfer of information but does not specifically state that the notification is provided by extinguishing a light on the data capture device. The Examiner takes **Official Notice** that it is well known in the art to illuminate an LED on a device that is transferring data during the transfer of the data and to turn off the LED when the transfer is completed. Therefore, it would have been obvious for one skilled in the art to have been motivated to provide an LED that is turned off when the transfer of data is completed in place of the icon marks (56,60) for providing visual notification of successful completion of transfer of information.

Re claim 26, the combination of Yamada and Fukuoka disclose all of the limitations of claims 15 above. Yamada also states the when the capacity of the auxiliary memory is insufficient before the whole image is transferred icon mark (60) indicates the number of uncopied image data (col. 12, lines 11-49). However, the

combination of Yamada and Fukuoka does not specifically disclose an automatic notification of failure if the transfer of information is not successfully completed.

Okada discloses an image pickup apparatus including an image erasure status notification function. If the image data has not been transferred, a message is provided to the user indicating that the image to be erased has not been transferred to another storing area (col. 2, line 63 - col. 3, line 24). The message is provided to the user using either a flickering LED, a display of an LCD, or a sound generation of a buzzer (col. 3, lines 1-10). Therefore, it would have been obvious for one skilled in the art to have been motivated to include the concept of using an LED or a buzzer to notify a user that a transfer of information was not successfully completed as disclosed by Okada in the camera capable of accepting a memory card as disclosed by Yamada in view of Fukuoka. Doing so would provide a means for flickering an LED or sounding a buzzer in order to provide notifications to a user of a camera that an image has not yet been transferred (Okada: col. 3, lines 11-19).

Re claim 27, Okada states that a red LED is lit to notify the user that the image to be erased is not transferred (col. 3, lines 1-4).

Re claim 28, Okada states that a message on an LCD is used to notify the user that the image to be erased is not transferred (col. 3, lines 4-8).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Uryu (US 6,542,186) discloses a digital camera with a detachable memory medium. The information regarding using a buzzer and an LED as a warning means is pertinent material.

Nanba (US 6,297,870) discloses a digital camera connected to a computer. The information regarding providing a notification that an image has been transferred is pertinent material.

Contacts

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kelly L. Jerabek whose telephone number is **(571) 272-7312**. The examiner can normally be reached on Monday - Friday (8:00 AM - 5:00 PM).


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on **(571) 272-7308**. The fax phone

Art Unit: 2612

number for submitting all Official communications is 703-872-9306. The fax phone number for submitting informal communications such as drafts, proposed amendments, etc., may be faxed directly to the Examiner at **(571) 273-7312**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KLJ


WENDY R. GARBER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600